Interweave

R RESILIENT PLANK

ENTANGLE / TACTILITY

ENTANGLE in mill, fabric and pattern / installed in brick

patcraft®

ENTANGLE in yardage

left /
TACTILITY in balance

inside
the design /

Interweave is a high-performance LVT plank with the durability and cleanability of a traditional resilient combined with the uniqe texture and patterning of a textile.

STAIN RESISTANT

SCRATCH RESISTANT

EASY TO CLEAN

**WOVEN TEXTURE WITH HARD SURFACE RESILIENCE**

IDEAL FOR WAYFINDING AND ZONING

HPD + EPD AND FLOORSCORE CERTIFIED

Ideal for wayfinding and zoning, the neutral base color palette with bold infusions of pattern offers a subtle touch of tactility.

ENTANGLE in mill and pattern / TACTILITY in tabby / with Handloom style PAINTED WEFT in thread and shed / installation in stagger

TACTILITY in tabby, raddle and lamm /
installed in herringbone

COLORWAYS 1622V | ENTANGLE

00575 fabric	00595 mill	00545 pattern	00145 yardage	00745 pile

COLORWAYS 1621V | TACTILITY

00135 balance	00515 tabby	00725 treadle	00565 raddle	00585 selvage	00155 lamm

00795 fiber	00495 spun

COORDINATING PALETTE

1. ENTANGLE 1622V in pattern
2. TACTILITY 1621V in tabby
3. PAINTED WEFT 1483V in thread
4. TRANSVERSE 10520 in rebar
5. SELVAGE 10584 in satin-lemon
6. TIMBER GROVE II 5MM 1559V in shady grove
7. MARK MAKING 1509V in daylily
8. SURFACE STRIATION COLOR 10558 in citrine
9. BENJAMIN MOORE PAINT in Golden Bounty
10. BENJAMIN MOORE PAINT in Halo

INTERWEAVE | resilient plank

ENTANGLE
style / I622V

|	
product size	18" x 36" | 45.7 cm x 91.4 cm
contruction	woven LVT
total thickness	0.118" | 3 mm
finish	ExoGuard™
installation	glue down

TACTILITY
style / I621V

product size	9" x 36" | 22.8 cm x 91.4 cm
contruction	woven LVT
total thickness	0.118" | 3 mm
finish	ExoGuard™
installation	glue down

INSTALLATION METHODS | 18X36

BRICK	HERRINGBONE	STAGGER

INSTALLATION METHODS | 9X36

BRICK	HERRINGBONE	STAGGER

TACTILITY in spin / ENTANGLE in fabric / installation in stagger

For full specifications and color, please **visit this collection on the website**.